


No.

8900149



THE UNITED STATES OF AMERICA

TO ALL TO WHOM THESE PRESENTS SHALL COME:

CROMMART, Inc.

Whereas, THERE HAS BEEN PRESENTED TO THE
Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF *eighteen* YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR IMPORTING IT, OR EXPORTING IT, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT VARIETY THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY PROTECTION ACT (U.S.C. 2321 ET SEQ.)

SOYBEAN

'HS 2821'



In Testimony Whereof, I have hereunto set
my hand and caused the seal of the Plant
Variety Protection Office to be affixed
at the City of Washington, D.C.
this 29th day of November in
the year of our Lord one thousand nine
hundred and ninety-one.

Attest:

Kenneth Evans
Commissioner
Plant Variety Protection Office
Agricultural Marketing Service

Ed Madigan
Secretary of Agriculture

U.S. DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE

FORM APPROVED: OMB NO. 0581-0055

Application is required in order to determine if a plant variety protection certificate is to be issued (7 U.S.C. 2421). Information is held confidential until certificate is issued (7 U.S.C. 2426).

APPLICATION FOR PLANT VARIETY PROTECTION CERTIFICATE

(Instructions on reverse)


1. NAME OF APPLICANT(S) GROWMARK, Inc.		2. TEMPORARY DESIGNATION	3. VARIETY NAME HS 2821
4. ADDRESS (Street and No. or R.F.D. No., City, State, and Zip Code) P. O. Box 2500 Bloomington, Illinois 61702-2500		5. PHONE (Include area code) (309) 557-6399	FOR OFFICIAL USE ONLY PVPO NUMBER 8900149
6. GENUS AND SPECIES NAME Glycine max	7. FAMILY NAME (Botanical) Leguminosae		FILING DATE Apr. 11, 1989 TIME 10:30 <input checked="" type="checkbox"/> A.M. <input type="checkbox"/> P.M.
8. KIND NAME Soybean	9. DATE OF DETERMINATION September 1983		FEES RECEIVED AMOUNT FOR FILING \$ 1800.00 DATE Apr. 11, 1989 AMOUNT FOR CERTIFICATE \$ 200.00 DATE Nov. 18, 1991
10. IF THE APPLICANT NAMED IS NOT A "PERSON," GIVE FORM OF ORGANIZATION (Corporation, partnership, association, etc.) Corporation			12. DATE OF INCORPORATION February, 29, 1980
11. IF INCORPORATED, GIVE STATE OF INCORPORATION Delaware			12. DATE OF INCORPORATION February, 29, 1980
13. NAME AND ADDRESS OF APPLICANT REPRESENTATIVE(S), IF ANY, TO SERVE IN THIS APPLICATION AND RECEIVE ALL PAPERS Thomas J. Hunsley, GROWMARK, Inc. P. O. Box 2500 Bloomington, Illinois 61702-2500 PHONE (Include area code): (309) 557-6399			
14. CHECK APPROPRIATE BOX FOR EACH ATTACHMENT SUBMITTED a. <input checked="" type="checkbox"/> Exhibit A, Origin and Breeding History of the Variety (See Section 52 of the Plant Variety Protection Act.) b. <input checked="" type="checkbox"/> Exhibit B, Novelty Statement. c. <input checked="" type="checkbox"/> Exhibit C, Objective Description of Variety (Request form from Plant Variety Protection Office.) d. <input type="checkbox"/> Exhibit D, Additional Description of Variety. e. <input checked="" type="checkbox"/> Exhibit E, Statement of the Basis of Applicant's Ownership.			
15. DOES THE APPLICANT(S) SPECIFY THAT SEED OF THIS VARIETY BE SOLD BY VARIETY NAME ONLY AS A CLASS OF CERTIFIED SEED? (See Section 83(a) of the Plant Variety Protection Act.) <input type="checkbox"/> Yes (If "Yes," answer items 16 and 17 below) <input checked="" type="checkbox"/> No			
16. DOES THE APPLICANT(S) SPECIFY THAT THIS VARIETY BE LIMITED AS TO NUMBER OF GENERATIONS? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		17. IF "YES" TO ITEM 16, WHICH CLASSES OF PRODUCTION BEYOND BREEDER SEED? <input type="checkbox"/> Foundation <input type="checkbox"/> Registered <input type="checkbox"/> Certified	
18. DID THE APPLICANT(S) PREVIOUSLY FILE FOR PROTECTION OF THE VARIETY IN THE U.S.? <input type="checkbox"/> Yes (If "Yes," give date) <input checked="" type="checkbox"/> No			
19. HAS THE VARIETY BEEN RELEASED, OFFERED FOR SALE, OR MARKETING IN THE U.S. OR OTHER COUNTRIES? <input type="checkbox"/> Yes (If "Yes," give names of countries and dates) <input checked="" type="checkbox"/> No			
20. The applicant(s) declare(s) that a viable sample of basic seeds of this variety will be furnished with the application and will be replenished upon request in accordance with such regulations as may be applicable. The undersigned applicant(s) is (are) the owner(s) of this sexually reproduced novel plant variety, and believe(s) that the variety is distinct, uniform, and stable as required in Section 41, and is entitled to protection under the provisions of Section 42 of the Plant Variety Protection Act. Applicant(s) is (are) informed that false representation herein can jeopardize protection and result in penalties.			
SIGNATURE OF APPLICANT GROWMARK, Inc. 		DATE March 27, 1989	
SIGNATURE OF APPLICANT		DATE	

EXHIBIT A

Origin and Breeding History of HS 2821

- 1981 - Cross made
PARENTS: A2943 * (Hark * [Corsoy * Calland])
- 1981-82 - F₁ and F₂ generations advanced in Florida.
- 1982 - F₃ generation grown. Two-hundred plants selected from bulk population and threshed individually.
- 1983 - F₃ single plants were evaluated as F₄-derived lines in short row yield test. One row (HS 2821) was selected for its uniformity, standability and high yield. This row was harvested in bulk and seeds were checked and verified for uniform seed coat luster and hilum color.
- It was in September, 1983, that it was determined HS 2821 was a stable and unique line.
- 1984 - Variety was entered in yield trials conducted at two locations in the Midwest. It produced uniform stands and was selected for its yield and standability.
- 1985 - Variety was entered in yield trials conducted at 16 locations in the Midwest. It produced uniform stands and was selected for its yield and standability.
- 1986-87 - Variety was entered in yield trials conducted at 8 locations in the Midwest. It produced uniform stands and was selected for its yield and standability.

Breeder seed was produced.

Trial evaluations since 1983 indicate HS 2821 is a unique, uniform and stable soybean variety.

2/13/89

EXHIBIT B

Novelty Statement concerning HS 2821 Soybean

To our knowledge the soybean variety that most closely resembles HS 2821 is 9293. Characteristics which differentiate HS 2821 include, but are not necessarily limited to, the following:

1. Hilum Color

HS 2821	=	Yellow
9293	=	Gray

2/13/89

U.S. DEPARTMENT OF AGRICULTURE
 AGRICULTURAL MARKETING SERVICE
 LIVESTOCK, MEAT, GRAIN & SEED DIVISION
 PLANT VARIETY PROTECTION OFFICE
 BELTSVILLE, MARYLAND 20705


EXHIBIT C
 (Soybean)

OBJECTIVE DESCRIPTION OF VARIETY
 SOYBEAN (*Glycine max* L.)

NAME OF APPLICANT(S) GROWMARK, Inc.	TEMPORARY DESIGNATION	VARIETY NAME HS 2821
ADDRESS (Street and No., or R.F.D. No., City, State, and Zip Code) P. O. Box 2500 Bloomington, Illinois 61702-2500		FOR OFFICIAL USE ONLY PVPO NUMBER 8900149

Choose the appropriate response which characterizes the variety in the features described below. When the number of significant digits in your answer is fewer than the number of boxes provided, place a zero in the first box when number is 9 or less (e.g.,). Starred characters ★ are considered fundamental to an adequate soybean variety description. Other characters should be described when information is available.

1. SEED SHAPE:



1 = Spherical (L/W, L/T, and T/W ratios = < 1.2)
 3 = Elongate (L/T ratio > 1.2; T/W = < 1.2)

2 = Spherical Flattened (L/W ratio > 1.2; L/T ratio = < 1.2)
 4 = Elongate Flattened (L/T ratio > 1.2; T/W > 1.2)

★ 2. SEED COAT COLOR: (Mature Seed)

1 = Yellow 2 = Green 3 = Brown 4 = Black 5 = Other (Specify) _____

3. SEED COAT LUSTER: (Mature Hand Shelled Seed)

1 = Dull ('Corsoy 79'; 'Braxton') 2 = Shiny ('Nebsoy'; 'Gasoy 17')

★ 4. SEED SIZE: (Mature Seed)

Grams per 100 seeds

★ 5. HILUM COLOR: (Mature Seed)

1 = Buff 2 = Yellow 3 = Brown 4 = Gray 5 = Imperfect Black 6 = Black 7 = Other (Specify) _____

★ 6. COTYLEDON COLOR: (Mature Seed)

1 = Yellow 2 = Green

★ 7. SEED PROTEIN PEROXIDASE ACTIVITY:

1 = Low 2 = High

★ 8. SEED PROTEIN ELECTROPHORETIC BAND:

1 = Type A (SP1^a) 2 = Type B (SP1^b)

★ 9. HYPOCOTYL COLOR:

1 = Green only ('Evans'; 'Davis') 2 = Green with bronze band below cotyledons ('Woodworth'; 'Tracy')
 3 = Light Purple below cotyledons ('Beeson'; 'Pickett 71')
 4 = Dark Purple extending to unifoliate leaves ('Hodgson'; 'Coker Hampton 266A')

★ 10. LEAFLET SHAPE:

1 = Lanceolate 2 = Oval 3 = Ovate 4 = Other (Specify) _____

11. LEAFLET SIZE:

☐ 21 = Small ('Amsoy 71'; 'A5312')
3 = Large ('Crawford'; 'Tracy')

2 = Medium ('Corsoy 79'; 'Gasoy 17')

12. LEAF COLOR:

☐ 21 = Light Green ('Weber'; 'York')
3 = Dark Green ('Gnome'; 'Tracy')

2 = Medium Green ('Corsoy 79'; 'Braxton')

★ 13. FLOWER COLOR:

☐ 2

1 = White

2 = Purple

3 = White with purple throat

★ 14. POD COLOR:

☐ 2

1 = Tan

2 = Brown

3 = Black

★ 15. PLANT PUBESCENCE COLOR:

☐ 1

1 = Gray

2 = Brown (Tawny)

16. PLANT TYPES:

☐ 21 = Slender ('Essex'; 'Amsoy 71')
3 = Bushy ('Gnome'; 'Govan')

2 = Intermediate ('Amcor'; 'Braxton')

★ 17. PLANT HABIT:

☐ 3

1 = Determinate ('Gnome'; 'Braxton')

2 = Semi-Determinate ('Will')

3 = Indeterminate ('Nebsoy'; 'Improved Pelican')

★ 18. MATURITY GROUP:

☐ 51 = 000
9 = VI2 = 00
10 = VII3 = 0
11 = VIII4 = I
12 = IX5 = II
13 = X

6 = III

7 = IV

8 = V

★ 19. DISEASE REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant)

BACTERIAL DISEASES:

★

☐ 0Bacterial Pustule (*Xanthomonas phaseoli* var. *sojensis*)

★

☐ 0Bacterial Blight (*Pseudomonas glycinea*)

★

☐ 0Wildfire (*Pseudomonas tabaci*)

FUNGAL DISEASES:

★

☐ 0Brown Spot (*Septoria glycines*)Frogeye Leaf Spot (*Cercospora sojina*)

★

☐ 0

Race 1

☐ 0

Race 2

☐ 0

Race 3

☐ 0

Race 4

☐ 0


Race 5

☐ 0

Other (Specify)

☐ 0Target Spot (*Corynespora cassicola*)☐ 0Downy Mildew (*Peronospora trifoliorum* var. *manshurica*)☐ 0Powdery Mildew (*Microsphaera diffusa*)

★

☐ 0Brown Stem Rot (*Cephalosporium gregatum*)☐ 0Stem Canker (*Diaporthe phaseolorum* var. *caulivora*)

19. DISEASE REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant) (Continued)

FUNGAL DISEASES: (Continued)

- ★ ☐ 0 Pod and Stem Blight (*Diaporthe phaseolorum* var. *sojae*)
- ☐ 0 Purple Seed Stain (*Cercospora kikuchii*)
- ☐ 0 Rhizoctonia Root Rot (*Rhizoctonia solani*)
- Phytophthora Rot (*Phytophthora megasperma* var. *sojae*)
- ★ ☐ 2 Race 1 ☐ 2 Race 2 ☐ 1 Race 3 ☐ 1 Race 4 ☐ 1 Race 5 ☐ 0 Race 6 ☐ 1 Race 7
- ☐ 1 Race 8 ☐ 1 Race 9 ☐ Other (Specify) 13, 17 - resistant 21, 25 - susceptible

VIRAL DISEASES:

- ☐ 0 Bud Blight (Tobacco Ringspot Virus)
- ☐ 0 Yellow Mosaic (Bean Yellow Mosaic Virus)
- ★ ☐ 0 Cowpea Mosaic (Cowpea Chlorotic Virus)
- ☐ 0 Pod Mottle (Bean Pod Mottle Virus)
- ★ ☐ 0 Seed Mottle (Soybean Mosaic Virus)

NEMATODE DISEASES:

- Soybean Cyst Nematode (*Heterodera glycines*)
- ★ ☐ 0 Race 1 ☐ 0 Race 2 ☐ 1 Race 3 ☐ 0 Race 4 ☐ 0 Other (Specify) _____
- ☐ 0 Lance Nematode (*Hoplolaimus Colombus*)
- ★ ☐ 0 Southern Root Knot Nematode (*Meloidogyne incognita*)
- ★ ☐ 0 Northern Root Knot Nematode (*Meloidogyne Hapla*)
- ☐ 0 Peanut Root Knot Nematode (*Meloidogyne arenaria*)
- ☐ 0 Reniform Nematode (*Rotylenchulus reniformis*)
- ☐ 0 OTHER DISEASE NOT ON FORM (Specify): _____

20. PHYSIOLOGICAL RESPONSES: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant)

- ★ ☐ 0 Iron Chlorosis on Calcareous Soil
- ☐ 0 Other (Specify) _____

21. INSECT REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant)

- ☐ 0 Mexican Bean Beetle (*Epilachna varivestis*)
- ☐ 0 Potato Leaf Hopper (*Empoasca fabae*)
- ☐ 0 Other (Specify) _____

22. INDICATE WHICH VARIETY MOST CLOSELY RESEMBLES THAT SUBMITTED.

CHARACTER	NAME OF VARIETY	CHARACTER	NAME OF VARIETY
Plant Shape	9293	Seed Coat Luster	9293
Leaf Shape	9293	Seed Size	9293
Leaf Color	9293	Seed Shape	9293
Leaf Size	9293	Seedling Pigmentation	9293

23. GIVE DATA FOR SUBMITTED AND SIMILAR STANDARD VARIETY: Paired Comparison Data

VARIETY	NO. OF DAYS MATURITY	PLANT LODGING SCORE	CM PLANT HEIGHT	LEAFLET SIZE		SEED CONTENT		SEED SIZE G/100 SEEDS	NO. SEEDS/ POD
				CM Width	CM Length	% Protein	% Oil		
HS 2821 Submitted	130	1.3	90			41.3	22	15	2.6
9293 Name of Similar Variety	128	1.7	85			39.0	23	15	2.6

PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Amer. Soc. Agron. Monograph No. 16.
2. Buttery, B.R. and R.I. Buzzell. 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
3. Hymowitz, T. 1973. Electrophoretic analysis of SBTI-A₂ in the USDA soybean germplasm collection. Crop Sci., 13: 420-421.
4. Payne, R.C. and L.F. Morris. 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1: 1-19.




EXHIBIT E

Statement of the Basis of Applicant's Ownership

Ownership of soybean HS 2821 was transferred to GROWMARK, Inc. by the breeder and developer of the variety.